

GENETIC ANALYSIS REPORT



OWNER'S DETAILS

Luke Erb
5121 Perth Line 89
Gowanstown, Ontario, CANADA
Other N0G 1Y0 AU

ANIMAL'S DETAILS

Registered Name:	Arrowhead Jekia CLXXVII	Pet Name:	Jane
Registration Number:	218012	Breed:	Australian Cobberdog
Microchip Number:	952000001054775	Sex:	Intact Female
Date of Birth:	Not Provided	Colour:	

COLLECTION DETAILS

Case Number:	18073244	Date of Test:	06/06/2018
Approved Collection Method:	NO	Collected By:	

Sample with Lab ID Number 18073244 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported:

GENETIC ANALYSIS SUMMARY

TESTS REPORTED

RESULT ¹

¹**Please Note:** This is a summary disease and trait report. To view more details on each test, including a DNA profile, please log in to your account and view the detailed single DNA report.

Urogenital (Associated with the Urinary and Genital Tracts)

AUTOSOMAL HEREDITARY RECESSIVE NEPHROPATHY	NEGATIVE / CLEAR [NO VARIANT DETECTED]
CANINE HYPERURICOSURIA	NEGATIVE / CLEAR [NO VARIANT DETECTED]
CYSTINURIA (NEWFOUNDLAND TYPE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]

Neurologic (Associated with the Brain, Spinal and Nerves)

CENTRONUCLEAR MYOPATHY (LABRADOR RETRIEVER TYPE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
CONGENITAL MYASTHENIC SYNDROME (LABRADOR RETRIEVER TYPE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
DEGENERATIVE MYELOPATHY	NEGATIVE / CLEAR [NO VARIANT DETECTED]
EPISODIC FALLING SYNDROME (CAVALIER TYPE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
EXERCISE INDUCED COLLAPSE (RETRIEVER TYPE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
IVERMECTIN SENSITIVITY MDR1 (MULTI DRUG RESISTANCE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
NARCOLEPSY (LABRADOR)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
NEONATAL ENCEPHALOPATHY (POODLE TYPE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]

Ophthalmologic (Associated with the Eyes)

COLLIE EYE ANOMALY/CHOROIDAL HYPOPLASIA	NEGATIVE / CLEAR [NO VARIANT DETECTED]
CONE-ROD DYSTROPHY I - PRA (CORD I)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
GENERALISED PRA 1 (GOLDEN RETRIEVER TYPE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
PROGRESSIVE ROD CONE DEGENERATION (PRCD) - PRA	CARRIER [ONE COPY OF THE VARIANT DETECTED]

Metabolic (Associated with the Body's Enzymes and Cell Metabolism)

COPPER TOXICOSIS (ATP7B & ATP7A) LABRADOR RETRIEVER TYPE	CARRIER OF BOTH THE ATP7B AND ATP7A VARIANT
GANGLIOSIDOSIS GM2 (POODLE TYPE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
MALIGNANT HYPERTHERMIA	NEGATIVE / CLEAR [NO VARIANT DETECTED]
PHOSPHOFRUCTOKINASE DEFICIENCY (SPANIEL TYPE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
PYRUVATE KINASE DEFICIENCY (CANINE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]

Haemolymphtic (Associated with the Circulatory System)

ELLIPTOCYTOSIS B-SPECTRIN (LABRADOR RETRIEVER/POODLE TYPE)	NEGATIVE / CLEAR [NO VARIANT DETECTED]
--	--

GLOBOID CELL LEUKODYSTROPHY/KRABBE'S DISEASE
VON WILLEBRAND'S DISEASE TYPE I

NEGATIVE / CLEAR [NO VARIANT DETECTED]
NEGATIVE / CLEAR [NO VARIANT DETECTED]

Dermatologic (Associated with Skin)

HEREDITARY NASAL PARAKERATOSIS/DRY NOSE
(LABRADOR RETRIEVER TYPE)

NEGATIVE / CLEAR [NO VARIANT DETECTED]

Musculoskeletal (Associated with Bones and Muscles)

MILD DISPROPORTIONATE DWARFISM (LABRADOR TYPE)
MUCOPOLYSACCHARIDOSIS VI (POODLE TYPE)
MYOTUBULAR MYOPATHY X-LINKED
SKELETAL DYSPLASIA 2 (DWARFISM SD2)

NEGATIVE / CLEAR [NO VARIANT DETECTED]
NEGATIVE / CLEAR [NO VARIANT DETECTED]
NEGATIVE / CLEAR [NO VARIANT DETECTED]
NEGATIVE / CLEAR [NO VARIANT DETECTED]

Immunological (Associated with the Immune System)

TRAPPED NEUTROPHIL SYNDROME (BORDER COLLIE TYPE)

NEGATIVE / CLEAR [NO VARIANT DETECTED]

Trait (Associated with Phenotype)

A LOCUS (FAWN/SABLE;TRI/TAN POINTS)
BLACK AND TAN/SADDLE COAT COLOUR
BROWN (345DELPRO) DELETION
BROWN (GLNT331STOP) STOP CODON
BROWN (SER41CYS) INSERTION CODON
D (DILUTE) LOCUS
E LOCUS - (CREAM/RED/YELLOW)
EM (MC1R) LOCUS - MELANISTIC MASK
K LOCUS (DOMINANT BLACK)
LONG HAIR GENE (CANINE)
WEIGHT AND APPETITE OBESITY PRONE (LABRADOR
RETRIEVER TYPE)

a^y/a^t - FAWN/RED or SABLE CARRIES TAN POINTS (a^t)
CARRIER - CARRYING ONE COPY OF THE PHENOTYPE
Bb^d - CARRIER OF BROWN/CHOCOLATE/LIVER (DELETION)
BB^s - DOES NOT CARRY BROWN or CHOCOLATE (STOP CODON)
BB^c - DOES NOT CARRY BROWN or CHOCOLATE (INSERTION)
DD - NO COPY OF MLPH-D ALLELE (DILUTE) - PIGMENT IS NORMAL
ee - DOG IS HOMOZYGOUS FOR NON-EXTENSION (WHITE/YELLOW/APRICOT)
Eⁿ/Eⁿ - NO MASKING (Eⁿ) EXTENSION ALLELE
KK - DOMINANT BLACK - SOLID [WILL NOT BE BRINDLED or EXPRESS AGOUTI]
POSITIVE - SHOWING THE PHENOTYPE
NEGATIVE - NOT SHOWING THE PHENOTYPE

Dermatologic (Associated with Skin)

BLACK HAIR FOLLICULAR DYSPLASIA
COAT COLOUR DILUTION ALOPECIA

CARRIER - CARRYING ONE COPY OF THE PHENOTYPE
NEGATIVE - NOT SHOWING THE PHENOTYPE

RESULTS REVIEWED AND CONFIRMED BY:



Dr. Noam Pik BVSc, BMVS, MBA, MACVSc

George Sofronidis BSc (Hons)



EXPLANATION of RESULT TERMINOLOGY

The terms below are provided to help clarify certain results phrases on your genetic report. The phrases below are those as reported by Orivet and may vary from one laboratory to the other.

NEGATIVE / CLEAR [NO VARIANT DETECTED]

No presence of the variant (mutation) has been detected. The animal is clear of the disease and will not pass on any disease-causing mutation.

CARRIER [ONE COPY OF THE VARIANT DETECTED]

This is also referred to as HETEROZYGOUS. One copy of the normal gene and copy of the affected (mutant) gene has been detected. The animal will not exhibit disease symptoms or develop the disease. Consideration needs to be taken if breeding this animal - if breeding with another carrier or affected or unknown then it may produce an affected offspring.

POSITIVE / AT RISK [TWO COPIES OF THE VARIANT DETECTED]

Two copies of the disease gene variant (mutation) have been detected also referred to as HOMOZYGOUS for the variant. The animal may show symptoms (affected) associated with the disease. Appropriate treatment should be pursued by consulting a Veterinarian.

POSITIVE HETEROZYGOUS [ONE COPY OF THE DOMINANT VARIANT DETECTED]

Also referred to as POSITIVE ONE COPY or POSITIVE HETEROZYGOUS. This result is associated with a disease that has a dominant mode of inheritance. One copy of the normal gene (wild type) and affected (mutant) gene is present. Appropriate treatment should be pursued by consulting a Veterinarian. This result can still be used to produce a clear offspring.

POSITIVE HOMOZYGOUS [TWO COPIES OF THE DOMINANT VARIANT DETECTED]

Also referred to as POSITIVE HOMOZYGOUS. Two copies of the disease gene variant (mutant) have been detected and the animal may show symptoms associated with the disease. Please Note: This disease has dominant mode of inheritance so if mated to a clear animal ALL offspring will be AFFECTED – HETEROZYGOUS ONE COPY.

NORMAL BY PARENTAGE HISTORY

The sample submitted has had its parentage verified by DNA. By interrogating the DNA profiles of the Dam, Sire and Offspring this information together with the history submitted for the parents excludes this animal from having this disease. The controls run confirm that the dog is NORMAL for the disease requested.

NORMAL BY PEDIGREE

The sample submitted has had its parentage verified by Pedigree. The pedigree has been provided and details (genetic testing reports) of the parents have been included. Parentage could not be determined via DNA profile as no sample was submitted.

NO RESULTS AVAILABLE

Insufficient information has been provided to provide a result for this test. Sire and Dam information and/or sample may be required. This result is mostly associated with tests that have a patent/license and therefore certain restrictions apply. Please contact the laboratory to discuss.

INDETERMINABLE

The sample submitted has failed to give a conclusive result. This result is mainly due to the sample failing to "cluster" or result in the current grouping. A recollection is required at no charge.

DNA PROFILE

Also known as a DNA fingerprint. This is unique for the animal. No animal shares the same DNA profile. An individual's DNA profile is inherited from both parents and can be used for verifying parentage (pedigrees). This profile contains no disease or trait information and is simply a unique DNA signature for that animal.

PARENTAGE VERIFICATION

QUALIFIES/CONFIRMED or DOES NOT QUALIFY/EXCLUDED

Parentage is determined by examining the markers on the DNA profile. A result is generated and stated for all DNA parentage requests. Parentage confirmation reports can only be generated if a DNA profile has been carried out for Dam, Offspring and possible Sire/s.

PENDING

Results for this test are still being processed. Some tests are run independently and are reported at a later date. When completed, the result will be emailed.

A feature that an animal is born with (a genetically determined characteristic). Traits are a visual phenotype that range from colour to hair length, and also includes certain features such as tail length. If an individual is AFFECTED for a trait then it will show that characteristic eg. AFFECTED for the B (Brown) Locus or bb will be brown/chocolate.

POSITIVE – SHOWING THE PHENOTYPE

The animal is showing the trait or phenotype tested.

CLARIFICATION OF GENETIC TESTING

The goal of genetic testing is to provide breeders with relevant information to improve breeding practices in the interest of animal health. However, genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call “genetic heterogeneity”. This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene.
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions - although phenotypically similar - may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an “oligogenic disease”. This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease.

Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Orivet Genetic Pet Care aims to frequently update breeders with the latest research from the scientific literature. If breeders have any questions regarding a particular condition, please contact us on **(03) 9534 1544** or **admin@orivet.com** and we will be happy to work with you to answer any relevant questions.