GENETIC ANALYSIS REPORT



OWNER'S DETAILS

Luke Erb 5121 Perth Line 89 Gowanstown, Ontario, CANADA N0G 1Y0 Canada

COLLECTION DETAILS

Case Number	: 20
Date of Test	: 6t
Collected By	:

0158404 th Feb 2020

Registered Name : Arrowhead Muna Pet Name : Muna Registration Number: 152505F2 Australian Breed Cobberdog Microchip Number : 952000001153630 Sex : Intact Female Date of Birth : 19th Oct 2019 Colour : Chocolate

ANIMAL'S DETAILS

Approved Collection : NO

Sample with Lab ID Number 20158404 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported:

GENETIC ANALYSIS SUMMARY

¹ Please Note: This is a summary disease and trait report. To view more details on each test, including a DNA profile, please log in to your account and view the detailed single DNA report.

TESTS REPORTED

RESULT 1

Urinary system / Urologic - Associated with the kid AUTOSOMAL HEREDITARY RECESSIVE NEPHROPATHY CANINE HYPERURICOSURIA CYSTINURIA (NEWFOUNDLAND TYPE)	neys, bladder, ureters and urethra NEGATIVE / CLEAR [NO VARIANT DETECTED] NEGATIVE / CLEAR [NO VARIANT DETECTED] NEGATIVE / CLEAR [NO VARIANT DETECTED]
Musculoskeletal - Associated with muscles, bones CENTRONUCLEAR MYOPATHY (LABRADOR RETRIEVER TYPE) MILD DISPROPORTIONATE DWARFISM (LABRADOR TYPE) MYOTUBULAR MYOPATHY X-LINKED SKELETAL DYSPLASIA 2 (MILD DISPROPORTIONATE DWARFISM)	and associated structures NEGATIVE / CLEAR [NO VARIANT DETECTED] NEGATIVE / CLEAR [NO VARIANT DETECTED] NEGATIVE / CLEAR [NO VARIANT DETECTED] NEGATIVE / CLEAR [NO VARIANT DETECTED]
Ophthalmologic - Associated with the eyes and ass COLLIE EYE ANOMALY/CHOROIDAL HYPOPLASIA CONE-ROD DYSTROPHY I - PRA (CORD I) CURLY COAT DRY EYE SYNDROME (CAVALIER TYPE) GENERALISED PRA 1 (GOLDEN RETRIEVER TYPE) MACULAR CORNEAL DYSTROPHY (LABRADOR TYPE) PROGRESSIVE ROD CONE DEGENERATION (PRCD) - PRA	Sociated structures NEGATIVE / CLEAR [NO VARIANT DETECTED] NEGATIVE / CLEAR [NO VARIANT DETECTED] CARRIER [ONE COPY OF THE VARIANT DETECTED]
Haemolymphatic - Associated with the blood and ly CONGENITAL MACROTHROMBOCYTOPENIA ELLIPTOCYTOSIS B-SPECTRIN (LABRADOR RETRIEVER/POODLE TYPE) GLOBOID CELL LEUKODYSTROPHY/KRABBE'S DISEASE VON WILLEBRAND'S DISEASE TYPE I Nervous system / Neurologic - Associated with the CONGENITAL MYASTHENIC SYNDROME (LABRADOR RETRIEVER TYPE) DEGENERATIVE MYELOPATHY EPISODIC FALLING SYNDROME (CAVALIER TYPE) EXERCISE INDUCED COLLAPSE (RETRIEVER TYPE) IVERMECTIN SENSITIVITY MDR1 (MULTI DRUG RESISTANCE) NARCOLEPSY (LABRADOR)	NEGATIVE / CLEAR [NO VARIANT DETECTED] NEGATIVE / CLEAR [NO VARIANT DETECTED] NEGATIVE / CLEAR [NO VARIANT DETECTED] NEGATIVE / CLEAR [NO VARIANT DETECTED]

Metabolic - Associated with the enzymes and metabolic processes of cells GANGLIOSIDOSIS GM2 (POODLE TYPE) MALIGNANT HYPERTHERMIA MUCOPOLYSACCHARIDOSIS VI (POODLE TYPE) PHOSPHOFRUCTOKINASE DEFICIENCY (SPANIEL TYPE) PYRUVATE KINASE DEFICIENCY (CANINE)

Dermatologic - Associated with the skin HEREDITARY NASAL PARAKERATOSIS/DRY NOSE (LABRADOR RETRIEVER TYPE)

Immunologic - Associated with the organs and cells of the immune system TRAPPED NEUTROPHIL SYNDROME (BORDER COLLIE TYPE) NEGATIVE / CLEAR [NO VARIANT DETECTED]

Trait (Associated with Phenotype)

A LOCUS (FAWN/SABLE;TRI/TAN POINTS)

BLACK AND TAN/SADDLE COAT COLOUR

BROWN (345DELPRO) DELETION BROWN (GLNT331STOP) STOP CODON **BROWN (SER41CYS) INSERTION CODON**

D (DILUTE) LOCUS

E LOCUS - (CREAM/RED/YELLOW)

EM (MC1R) LOCUS - MELANISTIC MASK

K LOCUS (DOMINANT BLACK)

LONG HAIR GENE (CANINE C95F)

Dermatologic - Associated with the skin BLACK HAIR FOLLICULAR DYSPLASIA COAT COLOUR DILUTION ALOPECIA

a^t/a^t - TAN POINTS/BLACK & TAN or TRICOLOUR MAY BE BRINDLED [SEE K LOCUS]

POSITIVE TWO COPIES of TAN SADDLE VARIANT - MAY EXPRESS THE PHENOTYPE [See E and K Locus]

bb^d - BROWN/CHOCOLATE, LIVER OR RED [DELETION]

Bb^s - CARRIER of BROWN/CHOCOLATE/LIVER [STOP CODON]

Bb^c - CARRIER OF BROWN/LIVER/CHOCOLATE [INSERTION] DD - NO COPY OF MLPH-D ALLELE (DILUTE) - PIGMENT IS NORMAL

Ee - BLACK CARRIES EXTENSION [YELLOW/WHITE/APRICOT/RUBY/RED]

E^m/Eⁿ ONE COPY OF MASK ALLELE DETERMINED BY A SERIES KB / k^y or k^{br}- ONE COPY DOMINANT BLACK (KB) and ONE COPY OF NON-BLACK (k^y) dog MAY be brindled **POSITIVE - SHOWING THE PHENOTYPE**

NEGATIVE - NOT SHOWING THE PHENOTYPE NEGATIVE - NOT SHOWING THE PHENOTYPE

RESULTS REVIEWED & CONFIRMED BY:

Dr. Noam Pik BVSc, BMVS, MBA, MACVS

George Sofronidis BSc(Hons)

ORIVET GENETIC PET CARE Suite 102A/ 163 - 169 Inkerman Street. St Kilda 3182, Australia t +61 3 9534 1544 | f +61 3 9525 3550

e admin@orivet.com www.orivet.com

ORIVET INTERNATIONAL - USA 20 Church Street. Hartford, CT 06103 t+844-4 ORIVET (Ext. 105) e usa@orivet.com www.orivet.com

ORIVET INTERNATIONAL - JAPAN 3-6-2. Kumata, Higashisumiyoshi-ku, Osaka-shi, Osaka 546-0002, Japan t 080 8312 41187 (Japan) e japan@orivet.com.au www.orivet.jp

Authentication Code



NEGATIVE / CLEAR [NO VARIANT DETECTED]

EXPLANATION of RESULT TERMINOLOGY

The terms below are provided to help clarify certain results phrases on your genetic report. The phrases below are those as reported by Orivet and may vary from one laboratory to the other.

NEGATIVE / CLEAR [NO VARIANT DETECTED]

No presence of the variant (mutation) has been detected. The animal is clear of the disease and will not pass on any disease-causing mutation.

CARRIER [ONE COPY OF THE VARIANT DETECTED]

This is also referred to as HETEROZYGOUS. One copy of the normal gene and copy of the affected (mutant) gene has been detected. The animal will not exhibit disease symptoms or develop the disease. Consideration needs to be taken if breeding this animal - if breeding with another carrier or affected or unknown then it may produce an affected offspring.

POSITIVE / AT RISK [TWO COPIES OF THE VARIANT DETECTED]

Two copies of the disease gene variant (mutation) have been detected also referred to as HOMOZYGOUS for the variant. The animal may show symptoms (affected) associated with the disease. Appropriate treatment should be pursued by consulting a Veterinarian.

POSITIVE HETEROZYGOUS [ONE COPY OF THE DOMINANT VARIANT DETECTED]

Also referred to as POSITIVE ONE COPY or POSITIVE HETEROZYGOUS. This result is associated with a disease that has a dominant mode of inheritance. One copy of the normal gene (wild type) and affected (mutant) gene is present. Appropriate treatment should be pursued by consulting a Veterinarian. This result can still be used to produce a clear offspring.

POSITIVE HOMOZYGOUS [TWO COPIES OF THE DOMINANT VARIANT DETECTED]

Also referred to as POSITIVE HOMOZYGOUS. Two copies of the disease gene variant (mutant) have been detected and the animal may show symptoms associated with the disease. Please Note: This disease has dominant mode of inheritance so if mated to a clear animal ALL offspring with be AFFECTED – HETEROZYGOUS ONE COPY.

NORMAL BY PARENTAGE HISTORY

The sample submitted has had its parentage verified by DNA. By interrogating the DNA profiles of the Dam, Sire and Offspring this information together with the history submitted for the parents excludes this animal from having this disease. The controls run confirm that the dog is NORMAL for the disease requested.

NORMAL BY PEDIGREE

The sample submitted has had its parentage verified by Pedigree. The pedigree has been provided and details (genetic testing reports) of the parents have been included. Parentage could not be determined via DNA profile as no sample was submitted.

NO RESULTS AVAILABLE

Insufficient information has been provided to provide a result for this test. Sire and Dam information and/or sample may be required. This result is mostly associated with tests that have a patent/license and therefore certain restrictions apply. Please contact the laboratory to discuss.

INDETERMINABLE

The sample submitted has failed to give a conclusive result. This result is mainly due to the sample failing to "cluster" or result in the current grouping. A recollection is required at no charge.

DNA PROFILE

Also known as a DNA fingerprint. This is unique for the animal. No animal shares the same DNA profile. An individual's DNA profile is inherited from both parents and can be used for verifying parentage (pedigrees). This profile contains no disease or trait information and is simply a unique DNA signature for that animal.

PARENTAGE VERIFICATION

QUALIFIES/CONFIRMED or DOES NOT QUALIFY/EXCLUDED Parentage is determined by examining the markers on the DNA profile. A result is generated and stated for all DNA parentage requests. Parentage confirmation reports can only be generated if a DNA profile has been carried out for Dam, Offspring and possible Sire/s.

PENDING

Results for this test are still being processed. Some tests are run independently and are reported at a later date. When completed, the result will be emailed.

APPROVED COLLECTION METHOD (NO)

The sample submitted for testing HAS NOT met the requirements recommended by member bodies for the DNA collection process.

TRAIT (PHENOTYPE)

A feature that an animal is born with (a genetically determined characteristic). Traits are a visual phenotype that range from colour to hair length, and also includes certain features such as tail length. If an individual is AFFECTED for a trait then it will show that characteristic eg. AFFECTED for the B (Brown) Locus or bb will be brown/chocolate.

POSITIVE – SHOWING THE PHENOTYPE

The animal is showing the trait or phenotype tested.

CLARIFICATION OF GENETIC TESTING

The goal of genetic testing is to provide breeders with relevant information to improve breeding practices in the interest of animal health. However, genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene.

2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions - although phenotypically similar - may be caused by separate mutations and/or genes.

3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease.

Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Orivet Genetic Pet Care aims to frequently update breeders with the latest research from the scientific literature. If breeders have any questions regarding a particular condition, please contact us on (03) 9534 1544 or admin@orivet.com and we will be happy to work with you to answer any relevant questions.

This report has been generated by Orivet Genetic Pet Care (Case Number : 20158404)